

## Jackfish Blowdown Water

### SECTION 1. IDENTIFICATION

<b>Product Identifier</b>	Jackfish Blowdown Water
<b>Other Means of Identification</b>	Process Water
<b>Product Family</b>	Produced Water
<b>Recommended Use</b>	Process water, Oilfield waste.
<b>Restrictions on Use</b>	None known.
<b>Manufacturer/Supplier Identifier</b>	Devon Canada Corporation 2000, 400 - 3rd Avenue SW Calgary, Alberta T2P 4H2 (403) 232-7100
<b>Emergency Phone No.</b>	CANUTEC, 1-888-CAN-UTEC (226-8832), (24 hr)

### SECTION 2. HAZARD IDENTIFICATION

#### Classification

Acute toxicity (Oral) - Category 4; Acute toxicity (Dermal) - Category 5; Eye irritation - Category 2A; Aspiration hazard - Category 2

#### Label Elements



Signal Word:  
Warning

#### Hazard Statement(s):

H302 Harmful if swallowed.  
H316 Causes mild skin irritation.  
H320 Causes eye irritation.

#### Precautionary Statement(s):

P261 Avoid breathing mist, vapours.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### Other Hazards

#### EMERGENCY OVERVIEW :

Not applicable.

#### General Hygiene Comments :

Do NOT eat, drink or store food in work areas.  
Remove contaminated clothing and protective equipment before entering eating areas or leaving work area.  
Wash hands thoroughly after handling this product and before eating, using the washroom or leaving work area.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers
Water, with dissolved mineral salts	Not applicable	100 %	Produced water, Brine
Crude Oil and hydrocarbons	8002-05-9	Trace	Hydrocarbons
Benzene	71-43-2	< 0.5 ppm	Benzol
Toluene	108-88-3	< 0.5 ppm	Methylbenzene
Ethylbenzene	100-41-4	< 0.5 ppm	Phenylethane
Xylene (mixed isomers)	1330-20-7	< 0.5 ppm	1,2/1,3/1,4-dimethylbenzene
Hydrogen Sulfide	7783-06-4	Not detected	Sulfur hydride

#### Notes

Concentrations are expressed in ppm weight/volume.  
May contain traces of hydrocarbons other than those listed.

### SECTION 4. FIRST-AID MEASURES

#### First-aid Measures

##### Inhalation

Not normally an expected route of exposure. Dissolved vapours may be an irritant if they are released.

##### Skin Contact

Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. If persistent irritation occurs, obtain medical attention.

##### Eye Contact

Rinse the contaminated eye(s) with lukewarm, gently flowing water for 5 minutes, while holding the eyelid(s) open.

##### Ingestion

Rinse mouth with water. If vomiting occurs naturally, lie on your side in the recovery position. Rinse mouth with water again.

#### Most Important Symptoms and Effects, Acute and Delayed

Aspiration hazard.

#### Immediate Medical Attention and Special Treatment

##### Special Instructions

Treat symptomatically.

##### Medical Conditions Aggravated by Exposure

None known.

### SECTION 5. FIRE-FIGHTING MEASURES

#### Extinguishing Media

##### Suitable Extinguishing Media

Material itself is NOT flammable but may contain and release flammable vapours. Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog can be used to control vapour fires.

##### Unsuitable Extinguishing Media

None known.

#### Specific Hazards Arising from the Product

Not considered a flammable material, but may contain entrained hydrocarbon vapours that can release and could create conditions for a flash fire.

This product presents no unusual hazards in a fire situation.

#### Special Protective Equipment and Precautions for Fire-fighters

Wear full protective clothing and self-contained breathing apparatus.

Product Identifier: Jackfish Blowdown Water

Date of Preparation: April 22, 2015

Page 02 of 07

Chemical protective clothing (e.g. chemical splash suit) should not be necessary under normal circumstances..

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment, and Emergency Procedures

Isolate the hazard area. Shut off leaks, if possible, without personal risks. Remove all possible sources of ignition in the surrounding area.

### Environmental Precautions

It is good practice to prevent releases into the environment. Do not allow into any sewer, on the ground or into any waterway.

### Methods and Materials for Containment and Cleaning Up

Small spills or leaks: stop or reduce leak if safe to do so. Ventilate the area to prevent the gas from accumulating, especially in confined spaces. Remove or eliminate any potential ignition sources.

Large spills or leaks: dike spilled product to prevent runoff. Dike and recover contaminated water for appropriate disposal. Remove or eliminate any potential ignition sources. Keep out of low areas; released vapours may be heavier than air and travel along the ground, or collect in sewers, basements, or tanks.

## SECTION 7. HANDLING AND STORAGE

### Precautions for Safe Handling

No special handling precautions are necessary. Eliminate heat and ignition sources such as sparks, open flames, hot surfaces and static discharge. Post "No Smoking" signs. Do not use near welding operations or other high energy sources. If exposure to vapours is a possibility or a concern, use of NIOSH approved cartridge masks, or supplied air or self contained breathing apparatus (SCBA) may be employed.

It is good practice to: avoid breathing product; avoid skin and eye contact and wash hands after handling. Do NOT smoke in work areas. Do NOT eat, drink or store food in work areas. Remove contaminated clothing and protective equipment before entering eating areas or leaving work area. Wash hands thoroughly after handling this product and before eating, using the washroom or leaving work area.

### Conditions for Safe Storage

No special requirements for storage area. Store in a well ventilated area away from all sources of ignition. Avoid storage in confined spaces or near incompatible materials, oxidizers, or materials that support combustion.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Benzene	0.5 ppm A1 Skin	2.5 ppm A1 Skin				
Toluene	20 ppm A4		200 ppm			
Ethylbenzene	100 ppm	125 ppm				
Xylene (mixed isomers)	100 ppm A4	150 ppm A4				

### Appropriate Engineering Controls

The hazard potential of this product is relatively low. General ventilation is usually adequate. Use non-sparking ventilation systems, approved explosion-proof equipment and intrinsically safe electrical systems in areas where this product is used and stored.

### Individual Protection Measures

#### Eye/Face Protection

Wear safety glasses or chemical safety goggles, or other suitable eye and face protection as required.

#### Skin Protection

Avoid repeated or prolonged skin contact. Wear chemical protective clothing e.g. gloves, aprons, boots.

#### Respiratory Protection

Product Identifier: Jackfish Blowdown Water

Date of Preparation: April 22, 2015

Page 03 of 07

Not usually required when working with small quantities.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Basic Physical and Chemical Properties

<b>Appearance</b>	Cloudy liquid.
<b>Odour</b>	Faint hydrocarbon
<b>Odour Threshold</b>	Not available
<b>pH</b>	8.9 - 9.0
<b>Melting Point/Freezing Point</b>	$\leq 0$ °C (melting); $\leq 0$ °C (freezing)
<b>Initial Boiling Point/Range</b>	~ 100 °C
<b>Flash Point</b>	> 100 °C (closed cup)
<b>Evaporation Rate</b>	Not available
<b>Flammability (solid, gas)</b>	Not applicable
<b>Upper/Lower Flammability or Explosive Limit</b>	Not available (upper); Not available (lower)
<b>Vapour Pressure</b>	Not applicable
<b>Vapour Density (air = 1)</b>	Not applicable
<b>Relative Density (water = 1)</b>	1.002 - 1.004 at 15 °C (59 °F)
<b>Solubility</b>	Soluble in all proportions in water
<b>Partition Coefficient, n-Octanol/Water (Log Kow)</b>	Not applicable
<b>Auto-ignition Temperature</b>	Not available
<b>Decomposition Temperature</b>	Not applicable
<b>Viscosity</b>	Not available (kinematic)
<b>Other Information</b>	
<b>Physical State</b>	Liquid
<b>Molecular Formula</b>	H <sub>2</sub> O
<b>Molecular Weight</b>	18
<b>Electrical Conductivity</b>	9550 $\mu$ S/cm

## SECTION 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive.

### Chemical Stability

Normally stable.

### Possibility of Hazardous Reactions

May react violently in contact with strong nitric acid.

### Conditions to Avoid

Open flames, sparks, static discharge, heat and other ignition sources. High energy sources, e.g. welding arcs. Material is stable under normal conditions, but may contain flammable residue (i.e. dissolved gases).

### Incompatible Materials

Strong acids (e.g. hydrochloric acid), strong oxidizing agents (e.g. perchloric acid), halogens (e.g. chlorine), alkali metals.

### Hazardous Decomposition Products

None known.

## SECTION 11. TOXICOLOGICAL INFORMATION

Product Identifier: Jackfish Blowdown Water

Date of Preparation: April 22, 2015

Page 04 of 07

## Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

## Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Benzene	13700 ppm (rat) (4-hour exposure)	930 mg/kg (rat)	> 8240 mg/kg (rabbit)
Toluene	7585 ppm (rat) (4-hour exposure)	5580 mg/kg (male rat)	12125 mg/kg (rabbit)
Ethylbenzene	~ 4000 ppm (rat) (4-hour exposure)	3500 mg/kg (rat)	15380 mg/kg (rabbit)
Xylene (mixed isomers)	6350 ppm (male rat) (4-hour exposure)	3523 mg/kg (rat)	> 1700 mg/kg (rabbit)

## Skin Corrosion/Irritation

May be irritating to skin. Symptoms may include redness, swelling, and itching.

## Serious Eye Damage/Irritation

May be irritating to eyes. Symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

## STOT (Specific Target Organ Toxicity) - Single Exposure

### Inhalation

May be harmful

Not an expected route of exposure, but vapours may cause irritation of the nose and throat.

### Skin Absorption

Not expected to be harmful.

### Ingestion

May be harmful

May cause gastrointestinal irritation. Symptoms may include abdominal pain, stomach upset, nausea, vomiting, and diarrhea.

## Aspiration Hazard

May be drawn into the lungs (aspirated) if swallowed or vomited.

## STOT (Specific Target Organ Toxicity) - Repeated Exposure

Not expected to be a hazard.

## Respiratory and/or Skin Sensitization

Not a respiratory sensitizer. Not a skin sensitizer.

## Carcinogenicity

Material in general is not expected to cause harm. The material in general is not considered a carcinogen, however, all appropriate precautions should still be taken due to the presence of trace amounts of benzene in the product.

## Reproductive Toxicity

### Development of Offspring

Not hazardous according to OSHA/WHMIS criteria.

### Sexual Function and Fertility

Not hazardous according to OSHA/WHMIS criteria.

### Effects on or via Lactation

No information was located.

## Germ Cell Mutagenicity

Not hazardous according to OSHA/WHMIS criteria.

## Interactive Effects

Not hazardous according to OSHA/WHMIS criteria.

---

Product Identifier: Jackfish Blowdown Water

Date of Preparation: April 22, 2015

Page 05 of 07

## SECTION 12. ECOLOGICAL INFORMATION

Contains dissolved salts, but not expected to be hazardous to the environment.

### Ecotoxicity

Not expected to be harmful.

### Persistence and Degradability

No ingredient of this product or its degradation products is known to be highly persistent.

### Bioaccumulative Potential

This product is not known to bioaccumulate.

### Mobility in Soil

If released into the environment, this product can move rapidly through the soil. Contamination of groundwater could occur.

### Other Adverse Effects

There is no information available.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal Methods

Water injection into approved wells is generally allowed. Avoid contact with soil and surface waterways. Use only approved transporters, recyclers, treatment, storage or disposal facilities. Contact local environmental authorities for approved disposal or recycling methods in your jurisdiction.

## SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	Not applicable	Not Regulated	Not applicable	Not applicable
Canadian TDG	Not applicable	Not Regulated	Not applicable	Not applicable

**Environmental Hazards** Not applicable

**Special Precautions** Please note: TDG Not applicable IF transported in a CLEAN tank, or TDG Residue - Last Contained UN1267 Petroleum Crude Oil, Class 3, and appropriate Packing Group as per area classification, or TDG Residue - Last Contained UN1268 Petroleum Distillates N.O.S., Class 3, Packing Group I

## SECTION 15. REGULATORY INFORMATION

### Safety, Health and Environmental Regulations

This section is not required by WHMIS 2015.

## SECTION 16. OTHER INFORMATION

**NFPA Rating** Health - 0 Flammability - 0 Instability - 0

**SDS Prepared By** Maxxam Analytics

**Phone No.** 1-800-386-7247

**Date of Preparation** April 22, 2015

**Date of Last Revision** June 13, 2016

**Revision Indicators** Document updated from 2015-04-22 original SDS (all sections).

Product Identifier: Jackfish Blowdown Water

Date of Preparation: April 22, 2015

**Key to Abbreviations** ACGIH® = American Conference of Governmental Industrial Hygienists  
OSHA = US Occupational Safety and Health Administration  
RTECS® = Registry of Toxic Effects of Chemical Substances

**References** CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS).  
Registry of Toxic Effects of Chemical Substances (RTECS®) database. Dassault  
Systèmes/BIOVIA (“BIOVIA”). Available from Canadian Centre for Occupational Health and  
Safety (CCOHS).

**Disclaimer** This SDS provides safety information and was developed for employees, customers and agents of the Devon Canada Corporation from data obtained from the sample(s) submitted for analysis. The information may not be valid or complete if the product or material is used in combination with other products or materials, or in any process. This information is intended for reasonable normal usage and recommended practices, and to underscore the potential hazards that may be inherent to the nature of the product or material. Although every effort is made to ensure accuracy and completeness of the contained information, it is understood that Maxxam Analytics makes no warranty as to the accuracy or completeness of information and assumes no liability for any damage or loss suffered as result of any inaccuracy or incompleteness therein. This information is considered to be as accurate as possible, as of the date of preparation. The reader is invited to contact the Devon Canada Corporation at the address shown to ensure the information is up to date or to obtain further information related to an unusual or other use.

SDS representative sample(s) :

Devon Jackfish Blowdown Water